

A ϕ -FEM approach for time-dependent domains with unfitted meshes

Johan Marguet¹ Michel Duprez² Alexei Lozinsky³ Igor Voulis⁴

In this work, we propose an unfitted finite element scheme to approximate the solution of the heat equation on moving domains. We use the ϕ -FEM paradigm in which the computational domain is described implicitly by a level-set function ϕ . This function is incorporated into the variational formulation in order to ensure the boundary conditions, which allows the use of unfitted meshes in space. Such a strategy avoids the need for remeshing at each time step and makes it possible to handle complex geometrical evolutions. We introduce a fully discrete scheme that combines the ϕ -FEM spatial discretization with a standard discontinuous finite element method in time. Under suitable mesh regularity assumptions, we establish a priori error estimates in classical norms. Finally, we present several numerical experiments that confirm the theoretical convergence results and illustrate the robustness and accuracy of the proposed method.

¹Université Marie et Louis Pasteur, Laboratoire de mathématiques de Besançon, France
johan.marguet@univ-fcomte.fr

²Centre Inria de l'Université de Lorraine, France
michel.duprez@inria.fr

³Université Marie et Louis Pasteur, Laboratoire de mathématiques de Besançon, France
alexei.lozinski@univ-fcomte.fr

⁴Institut für Geometrie und Praktische Mathematik, Germany
voulis@igpm.rwth-aachen.de